Hidden Clues: A collaborative approach to nonfatal strangulation using a forensic light source and photography

Audrey Bergin, MA bergin@lfebridgehaalth.org Manager, Domestic Violence (DOVE) Program Northwest Hospital Center, Randalistown, MD lent, Maryland Health Care Coalition Against Domestic Violen-

Rosalyn Berkowitz, RN, BSN rberkowi@lifebridgehealth.org Northwest Hospital Center, Randallstown, MD Clinical Leader, DOVE Consultant

Problems with identifying strangulation victims

- · Present to ED with "sore throat" or "headache"
- · Present with a fractured orbital bone or other painful injury
- · Use phrase like "jacked up"
- · Patient tells the advocate, but not the nurse or doctor

Other problems

- Medical staff were not aware of potential severe and fatal medical outcomes
- Police charging assault as misdemeanor
- Problems in documenting both in medical record and in police report

Intersection of Lethality & Strangulation

- Prevention is promoted by predictability
- Strangulation is one of the most highly predictive lethality factors
- Maryland's Lethality Assessment Project showed 54% of victims were strangled

Strangulation Response Project

- Research, collaboration and training began with police, prosecutors and medical staff
 - Medical
 - Police
 - Prosecution
 - Statewide Efforts

Medical Response

- · Victim identification and referral
- Nursing and Physician Education
- ED Strangulation Protocol
- Documentation
- EMS Training

Police Response

- Roll call trainings
- Training in the police academy
- Laminated cards with questions
- Strangulation Supplement











Prosecution

- Education with prosecutors, Police Academy
- Collaboration with law enforcement and advocates to charge as a felony
- Frye-Reed Hearing Forensic Light Source
- Expert witness preparation
- Victimless prosecution

Statewide Efforts

- · Lethality Assessment Project
- Legislation changes
- Using the Strangulation Response Project as a model to replicate in other counties

Forensic Light Source Project

- Pilot project
- Police involved cases in Woodlawn, Pikesville and Franklin
- Examination
- Photographing in conjunction with the light source







FLS Video

How to help victims

- Strangulation can be deadly days, weeks later
- SEEK MEDICAL TREATMENT
- Educate victims regarding medical issues and treatment
- Criminal Injuries Compensation can compensate medical bills

- Encourage victims to be informed health care consumers
- "Does your hospital have a protocol for how you treat non-fatal strangulation?
- "Does your hospital do CT scans for nonfatal strangulation like NW hospital does?"